

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	364	(712/221).CCLS.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2006/02/18 16:40
S1	2406	"address generation" WITH (unit OR stage)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 19:17
S2	1316	"address generation" NEAR2 (unit OR stage)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 15:16
S3	111	"address generation".TI.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 15:51
S4	844	(address NEAR2 generat\$4) SAME (add OR addition) SAME (shift)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/02/15 15:53
S5	486	(address NEAR2 generat\$4) SAME ((add OR addition) WITH (shift))	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/02/15 15:53
S6	961	(address NEAR2 generat\$4) SAME ((add\$3 OR addition) WITH (shift\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/02/15 15:53
S7	504	(address NEAR2 generat\$4) SAME ((add\$3 OR addition) WITH (shift\$3) WITH (operand OR data OR register))	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/02/15 15:54
S8	228	S7 AND "7"??CLAS.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2006/02/15 15:55
S9	16	"addressing mode 2"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 19:18
S10	264	ARM with addressing	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 19:23

EAST Search History

S11	45	S10 and "7"??CLAS.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 19:20
S12	298	(thumb OR ARM) with addressing	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 19:24
S13	54	S12 and "7"??clas.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 19:24
S14	0	shift\$4 with "adressing mode\$1"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 19:25
S15	0	shift\$4 with "adressing mode"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 19:25
S16	29	shift\$4 with (addressing modes\$1)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/15 19:25
S17	988	(bypass\$4 OR skip\$4) ADJ2 shift\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/16 15:18
S19	52	((bypass\$4 OR skip\$4) ADJ2 shift\$4) SAME address\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/16 15:39
S20	1	"20010056451"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/16 15:42
S21	1	"6795841"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/16 15:40
S22	988	(bypass\$4 OR skip\$4) ADJ2 shift\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/16 15:44
S23	311	S22 AND "7"??CLAS.	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/16 15:44

EAST Search History

S24	6	2-bit shift WITH ALU	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/17 10:07
S25	13	((two OR "2") bit\$1) NEAR2 (rotate OR shift) WITH ALU	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/17 10:08
S26	27	((two OR "2") bit\$1) NEAR2 (rotat\$4 OR shift\$4) WITH ALU	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/17 10:12
S27	239	((two OR "2") bit\$1) NEAR2 (rotat\$4 OR shift\$4) WITH (adder OR ALU)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/17 10:30
S28	1166	(rotat\$4 OR shift\$4) WITH (adder OR ALU) with address\$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/17 10:30
S29	204	S28 AND predetermin\$4 WITH shift\$3	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/02/17 10:31